



There are different types of pesticides used to control different pests. Find the following pesticides and the pests they control in the word search puzzle below.



Insecticide

Herbicide

Fungicide

Nematicide

Rodenticide

Insect

Weeds

Fungus


Nematodes


Rodents

N	H	E	R	B	I	C	I	D	E	K	N	N	X	J
E	O	V	O	P	V	M	W	E	D	L	L	B	M	E
D	R	Q	D	Q	O	P	I	D	I	M	C	O	G	H
I	T	P	E	R	K	I	Q	S	C	A	V	Y	S	W
C	P	G	N	H	V	T	X	D	I	V	L	F	E	E
I	F	S	T	I	N	S	E	C	T	I	C	I	D	E
G	C	V	S	W	T	X	V	I	N	T	J	E	O	D
N	I	S	K	W	O	S	G	T	E	K	V	M	T	S
U	S	H	B	H	U	Y	J	F	D	T	Y	S	A	N'
F	J	I	F	G	G	Z	R	L	O	Z	D	L	M	D
S	C	F	N	J	I	V	E	H	R	N	Z	V	E	Y
Q	G	U	K	J	A	E	S	D	C	W	C	A	N	A
R	F	Z	X	R	M	B	Y	L	W	O	L	Q	Q	F
B	N	A	K	B	I	N	S	E	C	T	D	G	M	O
N	E	M	A	T	I	C	I	D	E	P	Z	R	X	B












Help the farmer find his protective clothing in the maze below. Remember, before using pesticides, one must be protected to prevent poisoning.





Use these clues to find out the name of the organization responsible for the control of pesticides in Belize.

							
C	D	E	I	O	R	S	T



Unscramble the words below to find out the colors on a pesticide label that represent how poisonous or toxic that pesticide is. Then color the band on the label.

ed r _ _ _ _ _ extremely toxic.



lywoel _ _ _ _ _ highly toxic.



uleb _ _ _ _ _ moderately toxic



erneg _ _ _ _ _ slightly toxic



Some Signs and Symptoms of Acute Pesticide Intoxication (Poisoning)



<p>Tiredness</p>	<p>Headache</p>	<p>Dizziness</p>	<p>Sweating</p>
<p>Blurry Vision</p>	<p>Vomiting</p>	<p>Muscle Gramps</p>	<p>Stomach Ache</p>

In Acute Pesticide Poisoning, Symptoms appear within 24 hours of exposure (or contact with the pesticide).

From the list below, find the benefits (good things) of using pesticides, and mark the box beside them with a ☒. Then find all the risks (bad things) related to pesticide use and mark with a ☐.

<input type="checkbox"/>	Protection of grains in storage from storage pests.
<input type="checkbox"/>	Pest Resistance (pests are no longer killed by the pesticides).
<input type="checkbox"/>	Helps to prevent entry of pests and diseases from one country to another (quarantine).
<input type="checkbox"/>	Contamination of water.
<input type="checkbox"/>	Protects crops from pests and diseases.
<input type="checkbox"/>	Treatment of buildings to protect from termites and other structural pests.
<input type="checkbox"/>	Intoxication (poisoning).
<input type="checkbox"/>	Controls pests that carry diseases. (Eg. mosquitos)
<input type="checkbox"/>	Residues on food.
<input type="checkbox"/>	Contamination of soil.